



Therm-X = Heat + Cold + Contrast + Compression

Imagine not having to keep refilling, cleaning and drying out your ice based machine. Imagine being able to maintain the specific temperature you want delivered to the patient, for as long as you want. Then consider the new treatments you can apply with heat, compression, and contrast.



Therm-X is a Class II Medical Device and should only be operated by a licensed medical professional

The Therm-X from Zenith Technical Innovations, uses a new thermal control technology to treat post traumatic and post surgical conditions where localized thermal therapy is indicated.

This innovative technology allows the user to select Heat, Cold, or Contrast - temperature range of 34° F to 110° F.

The fluid passes through the garment with a tailored treatment area to concentrate the cold or heat where it is needed the most.

With its digital control, the Therm-X circulates a coolant that can maintain a specific temperature for the entire treatment cycle. Compare this to heat packs or ice-based machine that lose temperature once they are applied.

Four garment compression settings ensure full contact for optimal thermal transfer.





Therm-X Garments save you money and time

Therm-X garments are bilateral so you don't have to buy lefts and rights. They're one size fits all, and have high-end Velcro to last the life of the garment. The inner face uses a ripstop nylon with a waterproof backing to prevent buildup of mold and mildew after cleaning.









THERM-X TECHNICAL	. SPECIFICATIONS
Feature	Value
Therm-X Size	10" x 9" x 15"
Weight	approx. 14 lbs
Coolant Formulation	90% Distilled Water, 10% Isopropyl Alcohol
Coolant Tank Capacity	400 ml
Power Supply	100V AC - 240V AC, 50/60 Hz
Umbilical Hose	5' Long with 3-in-one Connectors
Preset Cold Settings	34°F, 45°F, 55°F
Custom Cold Settings	34°F - 55°F
Preset Heat Settings	105°F, 107°F, 110°F
Custom Heat Settings	105°F - 110°F
Cycle Length	20, 30, or 40 minutes
Contrast Temperature Settings	38°F to 105°F alternating
Garment Compression Levels	5, 20, 45, and 70 (Light, Low, Medium, High)
Replacement Umbilical Hose - Single	2-1030F
Replacement Power Supply	4-1531







Accessories to extend the use of your Therm-X



Split Umbilical Hose TX0208 Replacement Umbilical Hose, single 2-1030F (not shown)



Therm-X 1 Qt Coolant TX0206



TX0202

Hospital Grade Power Supply TX0207 Replacement Power Supply 4-1531